

64193NR1

NIGHT RACER 110 | Halogen headlight lamps for motorcycles



Areas of application

- Motorcycle headlight

Product benefits

- Up to 110 % more light on the road (compared to standard halogen lamps)
- Up to 40 m longer beam of light (compared to standard halogen lamps)
- Up to 20 % whiter light (compared to standard halogen lamps)
- Higher resilience due to robust coil design
- Optimum light for more reaction time
- Patented blue ring coating for less reflected glare
- More efficient light production thanks to optimized inert filling gas formula

Product features

- Eye-catching design with partial blue coating and silver cap

Technical data

Electrical data

Power input	75 / 68 W ¹⁾
Nominal wattage	60.00 W
Nominal voltage	12 V
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Color temperature	3200 K
Luminous flux	1650/1000 lm

Dimensions & weight

Length	82.0 mm
Diameter	13.0 mm
Product weight	21.30 g

Lifespan

Lifespan B3	250 / 400 h ¹⁾
Lifespan Tc	500 / 900 h ¹⁾

¹⁾ Filament 1 / Filament 2

Additional product data

Base (standard designation)	P43t
-----------------------------	------

Certificates & standards

ECE category	H4
--------------	----

Country specific categorizations

Order reference	64193NR1 60/55W
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4052899929654	64193NR1	Blister 1	55 mm x 95 mm x 135 mm	0.71 dm ³	33.00 g
4052899929661	64193NR1	Shipping carton box 10	146 mm x 115 mm x 335 mm	5.62 dm ³	423.00 g
4052899929678	64193NR1	Blister 2	64 mm x 115 mm x 130 mm	0.96 dm ³	386.00 g
4052899929685	64193NR1	Shipping carton box 20	197 mm x 206 mm x 356 mm	14.45 dm ³	1292.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.